







Katalog 2012

EAS Deutschland GmbH
Max-Planck-Str. 4
78052 VS-Villingen

Zentrale:  07721-2027 - 6
 07721-2027 - 80

Vertrieb:  07721-2027 - 70
Technik:  07721-2027 - 72

info@eas-deutschland.com
www.eas-deutschland.com

Stand 01.2013



A Word from the President



For nearly 47 plus years, Se-Kure Controls has been working with retailers to reduce shrinkage caused by shoplifting. Over that time, there has been an explosion of new products in the consumer electronics and fashion-focused softlines industry. Added to this challenge are the increased competitive pressures to reduce costs and staffing.

Whether you are seeking a custom item or a standard product, we strive to keep your costs in line by controlling the manufacturing process. Our three manufacturing plants are devoted to quality and cost effective production. Our team of professionals can take your idea from concept to completion. By keeping the entire process within Se-Kure Controls, we can reduce delivery time, control quality and ensure your satisfaction with the finished product. Our knowledgeable Customer Service Representatives are on hand to answer your questions and assist you with any special requests.

We thank you for your business over the years and for making this edition of our catalog possible. As always, we welcome your comments and ideas and look forward to being your security solutions provider.

Sincerely,

Roger J. Leyden
President



Electronics Security



Clothing Security


Mirrors



Small Electronics



HOW TO SELECT ALARM SYSTEM COMPONENTS



- 1. Select the Alarm System You Wish to Use.**
Consider the number of items you wish to protect, the requirements of your fixtures, etc., and whether you want a key or keypad (or both) to arm the system.
- 2. Maintain Consistency in the Parts You Select.**
Use "ME" Sr. Splitters and/or Strips with an "ME" Sr. System; "LE" Splitters and/or Strips with an "LE" System, and so on.
- 3. Determine the Number of Splitters/Strips Needed Based on the Number of Items Protected.**
Divide the number of items you need to have protected by the number of ports on the Splitter or Strip. Then round up to the nearest whole number.
- 4. Select the Style & Number of Sensors/Recoilers You Want.**
Consider the items to be protected and the surface on which the sensor will attach.
- 5. Review Your Order.**
Make sure that you include a Power Supply, Alarm Module, the correct number of Splitters/Strips and Sensor/Recoilers and needed supplies... (extra adhesives, removal tools, tie-wraps, etc.).
- 6. Place Your Order.**
For questions, or to order, call our **Customer Service Department:** 1-(800) 322-2435, **Fax:** (847) 288-9999 or **E-Mail:** orders@se-kure.com.

TABLE OF CONTENTS

Electronic Alarms

Alarm Modules	4-7
Sensors & Accessories	8-9
Vantage II Stands, Sensors & Nests	10-11
Electronic Recoilers	12
Specialty Alarms	13

Clothing Security

Klothing Kontrol Alarm	14
Mechanical Clothing Security	15

Mechanical Security

Recoiling Devices	16-17
Cables & Plates	18-21
Lockdown Devices	22
Camera & Camcorder Stands	23

Marketing, Alerts & Simulated Cameras

EAS Covers, Ladder Alert, Flashing Mirror	24-25
---	-------

Security Mirrors & Domes

Mirrors, Mirrored Panels, Mirrored Domes, Mirrored 1/4 & 1/2 Domes	26-27
Smokie Domes & Globes	28-29

General Security Devices

Annunciators & Electronic Eyes	30-31
Cash Drop Boxes	31
Keypad Door Locks	31
Exit Door Alarms	31



Se-Kure Controls, Inc.

3714 Runge Street • Franklin Park, IL 60131 • 1-(800) 322-2435 • (847) 288-1111 • Fax: (847) 288-9999

On the Web: www.se-kure.com
E-Mail: info@se-kure.com

"ME®" JUNIOR PLUS 2 ALARM SYSTEM

New Technology– Cost Effective Protection



- Keypad/Key, Key Only & Infrared Models
- External Horn May Be Added In Field
- "Where-It's-At" Locator Light Option
- LED Displays Indicate Power Status
- Two Circuits Allow Bi-Directional Display Protection
- No Shunt Plugs
- Audio Low Battery Alert



SK-800KME
"ME®" Jr Plus 2 Keypad Alarm Module




SK-3690 "Where-It's-At" Light



SK-807ME
"ME®" Jr Plus 2
(8) Port
Splitter Box

6'
Connecting
Cable




SK-80108ME
"ME®" Jr Plus 2 (8) Port Strip

6' Connecting Cable

The "ME®" Junior Plus 2 Alarm System was designed to provide the latest in anti-shoplifting technology in an Easy-to-Use, cost effective format. It offers the flexibility of using 8-port splitters or strips and the full line of Se-Kure Controls sensors and electronic recoilers. The 8-port splitters/strips help lower system cost by reducing the equipment needed to protect your display merchandise. The "ME®" Junior Plus 2 Alarm System does not require shunt plugs in unused ports. The system has two circuits to allow display protection in two different directions from the alarm module, and offers valuable options such as an external horn that can be added in the field. An optional "Where-It's-At" Light can be plugged into each splitter or strip to instantly tell you where the tampered sensor is located. The ME® Junior Plus 2 is powered by an AC/DC power supply (purchased separately) and four (4) back-up "C" cell batteries (not included). Convenient, easy-to-read and understand LED's indicate that the AC power is present, Low Battery Alert (audible tone as well), whether the system had been disarmed by key or keypad, and which circuit is open.

ITEM NO.	DESCRIPTION
SK-800KME	"ME®" Junior Plus 2 Alarm Module with Keypad & Key
SK-800ME	"ME®" Junior Plus 2 Alarm Module with Key Only
SK-800MEI	"ME®" Junior Plus 2 Alarm Module with Key & Infrared Remote (All "ME®" Jr. + 2 Alarm Modules: 7-1/4"W x 3-1/2"H x 4-3/4"D)
SK-195	AC/DC Power Supply for the "ME®" Junior Plus 2 Alarm Module
SK-213ME	Extra Key for the "ME®" Junior Plus 2 Alarm Module
SK-3690	"Where-It's-At" Light for the "ME®" Junior Plus 2 System

ITEM NO.	DESCRIPTION
SK-807ME	"ME®" Junior Plus 2 (8) Port Splitter with 6' Connecting Cable (4"W x 7/8"H x 2-3/4"D)
SK-80108ME	"ME®" Junior Plus 2 (8) Port Strip with 6' Connecting Cable (16"W x 1"H x 1-5/8"D)
SK-800X??	"ME®" Junior Plus 2 External Horn (?? = the length of the cable. example: SK-800X-6 has 6' cable)
SK-809	"ME®" Junior Plus 2 Alarm System "End Plug"



(See Pages 8 & 9 for Sensors & Accessories)



T-SERIES ALARM MODULES

A Self-Contained Display Alarm System



The **T-Series Alarm Modules** are perfect for Specialty Displays, End-Caps, Counter-Tops, or anywhere that you want to protect up to 12 items. Using the newest technology that requires no shunt plugs, these T-Series Alarms include a power supply. Just add any of our sensors or electronic recoilers and your displayed products can be protected quickly and easily. They utilize (6) "AA" batteries (not included) for back-up power. Both can be used where AC power is not available. When a sensor is tampered with, the light on the sensor and the light on the alarm module flash to lead you to the location of the tampered sensor.

Now Available With:

- Keypad Unit ■ Remote Keyway
- Power ■ Remote Keypad
- External Horn ■ Black or White
- Can Be Ordered in Any of the Above Combinations




SK-T6X-W
6 Port T-Series
Alarm Module
with
External Horn



SK-T6K
6 Port T-Series Alarm
Module with Keypad



SK-99-413
Remote Keyway



SK-99-400
Remote Keypad

See Page 9 for additional information on
Remote Keyways & Remote Keypads

ITEM NO.	DESCRIPTION
SK-T6	6 Position (Port) Alarm Module w/Power Supply 3-5/16"W x 7-1/2"L x 1-7/8"H
SK-T12	12 Position (Port) Alarm Module w/Power Supply 3-5/16"W x 9-1/2"L x 1-7/8"H
SK-T6X	6 Position (Port) Alarm Module w/Power Supply & External Horn 3-5/16"W x 9-3/4"L x 1-7/8"H
SK-T12X	12 Position (Port) Alarm Module w/Power Supply & External Horn 3-5/16"W x 11-3/4"L x 1-7/8"H
SK-110	Extra Key for the T Series Alarm Modules

Add Suffix to Item Number to Order the Following:
X=External Horn, P=Power, K=Keypad Unit,
R=Remote Keyway, RKP=Remote Keypad, W=White
 Contact Your Regional Sales Manager or Se-Kure
 Customer Service Representative for Assistance.



Se-Kure Controls, Inc.

On the Web: www.se-kure.com
 E-Mail: info@se-kure.com

3714 Runge Street • Franklin Park, IL 60131 • 1-(800) 322-2435 • (847) 288-1111 • Fax: (847) 288-9999


ME® SR ALARM SYSTEM

The Most Advanced Merchandise Display Protection System

See Pages
8 & 9 for
Sensors &
Accessories



- No Shunt Plugs Required
- LED's Identify Locations of Alarmed Sensors
- Audio Low Battery Alert
- Keypad Auto-Arms
- 144 Product Capacity
- Changeable Keypad Codes



ITEM NO.	DESCRIPTION
SK-210KME	ME® Sr Alarm Module with Keypad
SK-210ME	ME® Sr Alarm Module with Key Only
SK-295	AC/DC Power Supply (12v Output)
SK-107ME	ME® Sr 6-Port Splitter Box w/6' Connecting Cable
SK-206ME	ME® Sr 6-Port Splitter Strip w/6' Connecting Cable
SK-212ME	ME® Sr 12-Port Splitter Strip w/6' Connecting Cable

LE® ALARM SYSTEM

The Original Display Merchandise Protection

See Pages
8 & 9 for
Sensors &
Accessories

- Time-Tested Reliable Performance
- Key Removable Only in Armed Position
- Flexible- Select Splitters or Strips
- Low or No Battery Alert
- External Horn Available
- Changeable Keypad Codes
- Key or Keypad Models




ITEM NO.	DESCRIPTION
SK-103LE	LE® Plus Alarm Module with Key
SK-103KLE	LE® Plus Alarm Module with Keypad
SK-103XLE	LE® Plus Alarm Module with Key & External Horn
SK-195	AC/DC Power Supply for the LE® Plus Alarm Module
SK-107LE	LE® 6-Port Splitter Box w/6' Connecting Cable
SK-10106LE	LE® 6-Port Strip w/6' Connecting Cable
SK-10112LE	LE® 12-Port Strip w/6' Connecting Cable

K-9 ALARM SYSTEM

Protects Up To 9 Items

Measures:
4-1/8"W x 7"L x 1"H



See Pages
8 & 9 for
Sensors &
Accessories

The K-9 WatchDog Alarm Module is perfect for displays on End-Caps, Counter Tops or any

where you have a limited number of products to display. It utilizes our existing sensors and can protect a wide variety of merchandise. It incorporates a security keypad for activation, utilizes four AA batteries (not included) for back-up power and can be used where no AC power is available.

- Protects Up to 9 Items
- AC or Battery Operated
- Perfect for End-Caps
- Keypad Activation
- Compact Design


ITEM NO.	DESCRIPTION
SK-K9	K-9 WatchDog Alarm Module w/Power Supply

THE K4 ALARM

Protects Up To 4 Items

See Pages
8 & 9 for
Sensors &
Accessories

- Protects Up to 4 Items
- Battery Operated
- Uses (4) AA Batteries
- Perfect for End-Caps
- Keypad Activation
- Compact Design



Alarm Box Measures:
2-3/4"W x 4-5/8"L x 1-3/8"H

The K-4 Alarm Module is perfect for displays on End-Caps, Counter Tops or where you have a limited number of products to display. It utilizes our existing sensors and can protect a wide variety of merchandise. The K-4 incorporates a security keypad for activation, and uses four (4) AA batteries (not included) allowing this alarm to be used where no AC power is available.

ITEM NO.	DESCRIPTION
SK-K4	K-4 Alarm Module

(See Pages 8 & 9 for Sensors & Accessories)



Se-Kure Controls, Inc.

3714 Runge Street • Franklin Park, IL 60131 • 1-(800) 322-2435 • (847) 288-1111 • Fax: (847) 288-9999

On the Web: www.se-kure.com
E-Mail: info@se-kure.com

1-ON-1 ALARM SYSTEM


Protects One or Two Display Items



ITEM NO.	DESCRIPTION
SK-53602C	1-On-1 Alarm w/1" x 1" Bug Sensor, 6' Coiled Cable & Low Battery Alert
SK-53502C	1-On-1 Alarm w/1" x 1" Bug Sensor, 6' Coiled Cable
SK-536X02C	1-On-1 Alarm w/Ext. Horn, Bug Sensor & 6' Coiled Cable
SK-536X	1-On-1 Alarm w/Ext. Horn & Low Battery Alert (Black)
SK-536-W	1-On-1 Alarm w/Low Battery Alert (White)

2-ON-1 ALARM SYSTEM

Protects Two Display Items



The 2-On-1 Alarm is compatible with a wide variety of Se-Kure Sensors, including those that provide power to small electronics, such as the Vantage II Stand. Other sensor types are available with a variety of power adapters to fit many different devices.

ITEM NO.	DESCRIPTION
SK-554	2-On-1 Alarm with 2 Ports & 5v Power Pass-Thru
SK-554-NP	2-On-1 Alarm with No Power
SK-554-RK	2-On-1 Alarm with 5v Power Pass-Thru & Remote Keyway
SK-554NP-RK	2-On-1 Alarm with No Power & Remote Keyway

4-PORT ALARM MODULES

A Self-Contained Display Alarm For Up To 4 Merchandise Items

- Battery Operated
- Low Battery Warning
- Simple Operation

Measures
4-1/16"W x 3-15/16"D x 2-1/8" High




ITEM NO.	DESCRIPTION
SK-550W	White 4-Port Alarm Module (4-1/16"W x 3-15/16"D x 2-1/8" H)
SK-550	Black 4-Port Alarm Module (4-1/16"W x 3-15/16"D x 2-1/8" H)

PETITE ALARM SYSTEM

Protects Two Display Items

- Perfect For End-Caps

See Pages 8 & 9 for Sensors & Accessories



A Powerful Alarm In A Very Small Package

Measures: 4-1/4"W x 1-3/8"D x 1-3/4" High

NEW

ITEM NO.	DESCRIPTION
SK-551	Petite Alarm with 2 Ports
SK-551-P	Petite Alarm with Power Pass-Thru
SK-551-P-T	Petite Alarm with Power Pass-Thru & Tamper Switch
SK-551-P-T-W	White Petite Alarm with Power Pass-Thru & Tamper Switch
SK-551-P-W	White Petite Alarm with Power Pass-Thru
SK-551-T	Petite Alarm with Tamper Switch
SK-551-T-W	White Petite Alarm with Tamper Switch
SK-551-W	White Petite Alarm with 2 Ports

(See Pages 8 & 9 for Sensors & Accessories)



Se-Kure Controls, Inc.

On the Web: www.se-kure.com
E-Mail: info@se-kure.com

3714 Runge Street • Franklin Park, IL 60131 • 1-(800) 322-2435 • (847) 288-1111 • Fax: (847) 288-9999




SENSOR DESCRIPTIONS


Each Sensor **MUST** have a PLE (Straight) or CLE (Coiled) Suffix



SK-902*




SK-904




SK-914




SK-915*




SK-917



SK-926



SK-928



SK-929



SK-931



SK-932



SK-937



NEW


SK-938



SK-939




SK-940




SK-943*



SK-944



SK-953




SK-955* & SK-956




SK-961*




SK-968



SK-974



SK-989



SK-997



SK96-3652B




SKD-6168



SKD-0453



SKD-1111C



* These Sensors Have a Tie-Wrap Option Built-In.

Please specify, by using a suffix after the sensor number, whether you wish coiled wire (CLE) or straight wire (PLE). Sensors are available in white, grey and black (sold in black unless otherwise stated). Wires are approximately 6 feet in length (straight or stretched).

If you don't see it, we'll build it!



Se-Kure Controls,® Inc.

3714 Runge Street • Franklin Park, IL 60131 • 1-(800) 322-2435 • (847) 288-1111 • Fax: (847) 288-9999


On the Web: www.se-kure.com
E-Mail: info@se-kure.com

Make Changing Sensors & Display Product As Easy As Plug & Go

REMOTE KEYWAY & KEYPAD



Remote Keyway





Remote Keypad

Add Suffix to Item No.
xx = Cable Length Other Than
The Standard Length

ITEM NO.	DESCRIPTION
SK-99-413-xx	Remote Keyway with Standard 24" Cable
SK-99-400-xx	Remote Keypad with Standard 48" Cable

THROUGH-THE-WALL CONNECTOR

































■ Easy
To
Install

ITEM NO.	DESCRIPTION
SK-888	Through-the-Wall Connector with LED Light
SK-947TW3	3' Connecting Wire for SK-888

The Through-the-Wall Connectors enable you to easily change displayed merchandise. Once you have installed the Through-the-Wall Connector, there will be no more searching around your fixture or shelving to locate the point where the sensor connects to the alarm system. The connection is conveniently accessible on the shelf or fixture surface. This Quick Connect product group consists of special 2-part sensors (available in straight or coiled wire) or recoilers. The Through-the-Wall Connector accepts our standard sensors and fits into a 1" hole on your display. The system allows you to quickly and easily change sensors to accommodate modifications in your display. Contact us to discuss your specific needs.

SENSOR ACCESSORIES

ITEM NO.	DESCRIPTION
SK-905	1" X 2" Rectangular Adhesive 
SK-906	1" x 1" Square Adhesive 
SK-908	1" x 1-1/4" Tie Sensor Adhesive 
SK-909	7/16" x 11/16" Ant Sensor Adhesive 
SK-909NP	7/16" x 11/16" Neoprene Ant Sensor Adhesive 
SK-916	1" Dia. Round Adhesive for Mini Slim-Line 
SK-916-2	1" Dia. Rnd Adhesive for Mini Slim-Line w/Hole 
SK-919	3-3/8" x 1-1/4" Adhesive for Waffle Sensor 
SK-943T	11.5" Plastic Tie-Wrap 
SK-943TL	15" Plastic Tie-Wrap (Long) 
SK-947-6	6' Straight Wire "LE" Extension 
SK-847-10	10' Straight Wire "LE" Extension 
SK-947ME-10	10' Straight Wire "ME" Extension 
SK-939AH	Big Button Sensor Adhesive (11/16" Dia.) 
SK-989AH	Little Button Sensor Adhesive (1/2" Dia.) 
SK-974AH	Barrel Sensor Adhesive (1/2" Dia.) 

ITEM NO.	DESCRIPTION
SK-109	"LE" Shunt Plug 
SK-947TW-04	4" Thru-The-Wall Cable 
SK-552	Base Adhesive for the 4 Port Alarm Module 
SK-889	Thru-The-Wall Adhesive 
SK-600K	Waffle Sensor Removal Tool 
SK-AP1	Alcohol Prep Pad 
SK-209ME	ME Sr. Shunt Plug 
SK-1912	Rectangular Removal Tool 
SK-1912G	Flexible Round Sensor Removal Tool 
SK-1712	Wire Removal Tool 
SK-1712HD	Heavy-Duty Wire Removal Tool 
SK-99-102	Strip Clips for Mounting Strips to Pegboard 
SK-947TW6	6' Straight Wire Connector for Detachable Slim-Line Sensor 
SK-947TW6C	6' Coiled Wire Connector for Detachable Slim-Line Sensor 



Se-Kure Controls,® Inc.

On the Web: www.se-kure.com
E-Mail: info@se-kure.com

3714 Runge Street • Franklin Park, IL 60131 • 1-(800) 322-2435 • (847) 288-1111 • Fax: (847) 288-9999

POWER & SECURITY FOR SMALL ELECTRONICS

Single Wire Eliminates Clutter and Provides Power & Security

VANTAGE II

The Next Generation in
Display Security

■ Available With & Without Power

Available Features:

- LED Status Indicator
- Programmable Buttons
- Self Centering
- Easy Installation
- Simple Maintenance
- Flexible Configuration



Standard Vantage II Stand Heights

Other Heights Available



3"

4"

5"

6"



Metal Base

Igloo Base

Bases:

Bases & Sensors
Are Available In
Black or White


Sensors: Angled

Horizontal



Vantage II Stands are Available in 10 Standard Colors

Other Colors are Available. Ask for Details.



U.S. Patent No. 5,861,807 U.S. Patent No. 6,027,277

Call For System Details & Assistance




Se-Kure Controls®, Inc.

3714 Runge Street • Franklin Park, IL 60131 • 1-(800) 322-2435 • (847) 288-1111 • Fax: (847) 288-9999

On the Web: www.se-kure.com
E-Mail: info@se-kure.com

HOW THE VANTAGE II SYSTEM PROTECTS MERCHANDISE



Horizontal Sensor Used For Camera Utilizes:

- Security Switch
- Double-Faced Adhesive
- Anti-Rotation Bracket
- Tripod Mounting Screw
- When Properly Applied, The Switch Is Closed & The Adhesive With The Bracket Prevents Rotation
- For Both Sensors, When Properly Attached To The Displayed Device & Alarm, The LED Light Will Be Illuminated Confirming Protection

Angled Sensor Uses Two (2) Separate Switches To Provide Security

- When The Display Item Is Properly Attached, The Double-Faced Adhesive Holds It In Place
- The Two Switches The Are Closed, Enabling Protection On Devices With A Partial Removable Battery Door
- Dual Sensors Would Be Used For Items With A Removable Battery Door That Encompasses The Entire Back Of The Item

SELF-ALIGNING SENSOR & MAGNETIC NEST

The Sensor is Magnetically Attracted to the Nest to Keep Your Display Clean & Organized

SK-799
4" Stand with Round & Angled Top & the Self-Centering Base

SK-798-4
A Special Stand Designed to Fit the Self-Centering Base

The Sensor is Magnetically Attracted to the Self-Centering Base

Magnetic Nest

- Mount on Stand or Fixture
- Provide Power & Security
- Single Wire Eliminates Clutter

ITEM NO.	DESCRIPTION
SK-N980	Magnetic Sensor Nest
SK-N980AD	Adhesive for SK-N980 Magnetic Sensor Nest
SK-N982AD	Adhesive for SK-985, SKN985T Self-Aligning Sensor
SK-N983AD	Adhesive for SK-N983T
SK-N983T	Self-Aligning Electronic Power Sensor - Dual Switch
SK-N985-M	Mechanical Magnetic, Self-Aligning Nest Sensor
SK-N985T	Self-Aligning Electronic Power Sensor
SK-N985T-NP	Self-Aligning Electronic Sensor - No Power



Se-Kure Controls,® Inc.

On the Web: www.se-kure.com
E-Mail: info@se-kure.com

3714 Runge Street • Franklin Park, IL 60131 • 1-(800) 322-2435 • (847) 288-1111 • Fax: (847) 288-9999



ELECTRONIC RECOILERS®

Self-Retracting Systems Eliminate Cord Clutter

The **Electronic Recoiler®** is a unique product. It incorporates any of our wide variety of sensors with a retractable cord. This feature enables you to protect displayed merchandise and to reduce the visible impact of unsightly cords. We can work with you or your fixture supplier to ensure an attractive, secure display. They are available in our standard size and the Space-Saving "D" version. The **Electronic Recoiler®** may be used as part of any of the Se-Kure Controls® Alarm Systems. Our "S" Hook and "C" Channel attachments also offer a simple, quick way to install recoilers within your fixture and to move them easily to alter the look of your display. The standard recoiler measures 2-1/8"W x 3-7/16"L x 3-7/16"H. The "D" Electronic Recoiler measures 1-11/16"W x 2-3/4"L x 2-3/4"H.

While only a few variations are shown here, please contact us to discuss your needs.



SK45-1220
Electronic Recoiler w/Top Pull
Bendable Label Sensor

Power & Security



SK-PS-45EM-1224
Power & Security Recoiler
(Use w/Power & Security Systems Only)

Power & Security



SK45EM-1100
Power & Security Recoiler
(Use w/Power & Security Systems Only)



SK-4592LE
Standard Electronic Recoiler
w/1" x 1" Bug Sensor

Uses SK-943T Tie-Wrap




SK-4593TP
Electronic Recoiler
with Top Pull Ant Sensor



SK45-1067
Standard Electronic Recoiler
w/Collar Lasso Sensor



SK45-1078
Electronic Recoiler w/Slim-Line
w/Hole Sensor



SK-4653LE
Compact "D" Electronic Recoiler
w/Collar Lasso Sensor

■ Available With
Any Of The Wide
Variety Of Se-Kure
Controls Sensors

■ Easily Mounts
Within Your Fixture
■ Standard or Space-
Saver Versions

■ Compatible With All
Se-Kure Controls
Alarm Systems

U.S. Patent No. 5,552,771-US-RE 37,590

ITEM NO.	DESCRIPTION
SK45-1220	Electronic Recoiler w/Top Pull Bendable Label Sensor End (Requires Bendable Label)
SK-PS-45EM-1224	Power & Security Recoiler w/Variable Voltage (Use Only with the Power & Security System)
SK45EM-1100	Power & Security Recoiler Uses the Device's Voltage (Use Only with the Power & Security System)
SK-4592LE	Standard Electronic Recoiler (with SK-902 Series 1" x 1" Bug Sensor End)
SK-4593TP	Standard Electronic Recoiler (with Top Pull Ant Sensor End)
SK45-1067	Standard Electronic Recoiler (with SK-953 Series Collar Lasso Sensor End)
SK45-1078	Standard Electronic Recoiler (with SK-956 Series Slim-Line with Hole Sensor End)
SK-4653LE	Compact "D" Electronic Recoiler (with SK-953 Series Collar Lasso Sensor End)
SK-4602LE	Compact "D" Electronic Recoiler (with SK-902 Series 1" Square Bug Sensor End)



SK-4602LE
Compact "D" Electronic Recoiler
w/1" Square Bug Sensor


(See Pages 8 & 9 for Sensors & Accessories)



Se-Kure Controls®, Inc.

3714 Runge Street • Franklin Park, IL 60131 • 1-(800) 322-2435 • (847) 288-1111 • Fax: (847) 288-9999

On the Web: www.se-kure.com
E-Mail: info@se-kure.com




SK-1481IR
Tall
Glass™
Sensors

TALL GLASS ALARM

Display Case Security System



- Protects Up To 6 Doors
- Remote Control Operation
- Remote Horn Available



The Tall Glass Alarm is a keyless entry system **designed for all types of display cases**. Easily installed with ordinary tools, electronic sensors are placed inside the case by each door to detect movement. When unauthorized movement occurs, the sensors activate the alarm horn. By using the remote control, sales associates move the alarm system into Admit/Authorized mode, and can open the door for an allotted time and then close it. If the door is left open too long, the alarm horn sounds a warning. It gets sales associates in the habit of unlocking the door, getting what is needed and closing the door. Once the door is closed, the alarm system automatically resets, regardless of the time delay you have selected. This feature helps eliminate distraction theft. Uses (6) "C" cell batteries for back-up, (not included).

- AC Powered with Battery Back-Up
- 30/60/90/120 Second Delay
- Management Key Control

ITEM NO.	DESCRIPTION
SK-1488IR	Tall Glass Alarm System Kit Includes: (1) Alarm Module, (1) AC/DC Power Supply, (6) Door Sensors & (1) Remote
SK-1481IR	Tall Glass Sensors (each 10' long)
SK-1482IR	Tall Glass Remote Transmitter
SK-1483	Extra Key for Tall Glass Alarm Module
SK-1485	Extra Magnets for Tall Glass Alarm System
SK-1484	Remote Horn
SK-1489	Adhesive for Mounting the Tall Glass Sensors

TILT ALARM

Warns You of Unauthorized Item Movement



- Available in Vertical or Horizontal Versions
- Low Battery Warning
- Compact Size:

4"L x 2-3/4"W x 7/8"D

The Tilt Alarm can be attached to any item to alert you of any unauthorized movement. The Horizontal version can be used on countertop jewelry spinners. It allows them to be spun, but not picked up and moved without sounding the alarm horn. Operates on one 9-volt battery (not included).

ITEM NO.	DESCRIPTION
SK-530	Horizontal Tilt Alarm
SK-530V	Vertical Tilt Alarm

MICRO ALARM SYSTEM

Protect A Single Item Anywhere



Two Models Available

- No Special Wiring
- No Systems To Configure
- Simple (3) Step Installation:
 - (1) Adhere Alarm To Counter
 - (2) Lasso or Adhere Sensor To Product
 - (3) Push Button To Activate Alarm

ITEM NO.	DESCRIPTION
SK-531A	MicroAlarm with Lasso End
SK-531B	MicroAlarm with Mouse Sensor
SK-544	Adhesive Pads for MicroAlarm Alarm Box (Pkg/50)
SK-545	Adhesive Pads for MicroAlarm Mouse Sensor (Pkg/50)



Se-Kure Controls,® Inc.

On the Web: www.se-kure.com
E-Mail: info@se-kure.com

3714 Runge Street • Franklin Park, IL 60131 • 1-(800) 322-2435 • (847) 288-1111 • Fax: (847) 288-9999



SK-3600TK
3-1/8"W x 10-7/8"H
x 1-1/2"D



SK-3600
3-1/8"W x 9-1/2"H
x 1-7/8"D

KLOTHING KONTROL ALARM

*Advanced Technology for
Clothing Protection*



4 Sensors to Choose From



SK-3617S - Clothing Control Sensor




SK-3652S - Standard Clothing Control Sensor w/Lasso



SK-3653S - Clothing Control Sensor for Garment Sleeves



SK-3660S - Clothing Control Sensor w/Lasso



SK-3690 - (Optional) "Where-Its-At" Light

- Designed to Fit on Wall, T-Stands, Waterfalls & Rounder Displays
- Protects Up To 20 Garments
- Simple Changeable Keypad Codes
- Select From Four Different Sensors
- Up To 16 Months Of Battery Life
- Uses (6) AA Batteries (Included)
- Low Battery Alert
- Automatically Re-Arms

The Clothing Control Alarm is a unique, tamper-resistant warning system. It offers the widest variety of sensors available to protect garments. It incorporates a "visual memory" that keeps the LED's flashing until the tampered sensor is identified and corrected. **It is the most powerful alarm on the market with up to 16 months battery life.** If the alarm is triggered, the battery power is capable of sustaining a continuous alarm for up to 6-1/2 days! It has the "Where-Its-At" option, that flashes a light at the top of the display to help locate the source of the alarm. Its compact size allows protection without being visually obtrusive.

ITEM NO.	DESCRIPTION
SK-3620	Klothing Kontrol Alarm Module (with 20 Klothing Kontrol Sensors & U-Bolt)
SK-3600	Klothing Kontrol Alarm Module (Black shown on display in inset)
SK-3600SS	Bright Stainless Steel Klothing Kontrol Alarm Module
SK-3600TK	Klothing Kontrol II Alarm Module with Full Keypad (Black)
SK-3617S	12 Foot (Coiled) Cord Klothing Kontrol Sensor Clip
SK-3652S	12 Foot (Straight Wire) Klothing Kontrol Lasso Sensor
SK-3653S	12 Foot (Coiled) Cord Klothing Kontrol Sensor for Garment Sleeves
SK-3660S	5 Foot (Coiled) plus 8 Foot (Straight) Klothing Kontrol Lasso Sensor
SK-3690	"Where-Its-At" Light for the Klothing Kontrol Alarm System
SK-335KKA	U-Bolt with Nuts for Klothing Kontrol Alarm Module
SK-336	Universal Saddle Bracket for the Klothing Kontrol Alarm Module (see page 15)
SK-338	Shelf Standard Bracket for the Klothing Kontrol Alarm Module (see page 15)



Se-Kure Controls,® Inc.

3714 Runge Street • Franklin Park, IL 60131 • 1-(800) 322-2435 • (847) 288-1111 • Fax: (847) 288-9999

On the Web: www.se-kure.com
E-Mail: info@se-kure.com

CABLE COAT LOCK

Mechanical Protection for Garments

SK-301-**Standard Duty Cable**

• SK-333 Holds 60 Cables • SK-383 Holds 96 Cables
(1/16" Inside Diameter - 1/8" Outside Diameter)


SK-302-**Medium Duty Cable**

• SK-333 Holds 60 Cables • SK-383 Holds 96 Cables
(3/32" Inside Diameter - 1/8" Outside Diameter)

SK-303-**Heavy Duty Cable**

• SK-333 Holds 40 Cables • SK-383 Holds 64 Cables
(1/8" Inside Diameter - 3/16" Outside Diameter)

**10
Cable
Colors
To
Choose
From:**



#61 #62



#63 #64



#65 #66



#67 #68



#69 #70



SK-383
Extended Cable
Coat Lock Housing
w/T-Bar
1-7/8" W x 8-5/8" H
x 1-7/8" D




SK-333
Standard Cable
Coat Lock
Housing w/T-Bar
1-7/8" W x 6-1/2" H
x 1-7/8" D



SK-363
Cable Coat Lock
with Narrow Slots
1-7/8" W x 6-1/2" H x 1-7/8" D



Excellent for
Leathers




SKP-336
Wrench for Saddle
Brackets

Available Brackets:



SK-338 SK-334 SK-336 SK-339
Saddle Brackets

Standard Brackets



T-Bar U-Bolt

■ Hinged Doors

- Available in Standard & Extended Sizes
- Adaptable to Most Store Fixtures
- Standard, Medium & Heavy-Duty Cables
- Design Prevents Cables from Popping Out
- Easy Load/Unload Cable System
- Cables in 6 Ft. or 8 Ft. Lengths

The **Cable Coat Lock** provides instant security without customer inconvenience. Wall or rack-mounted, one design fits all cable sizes. Constructed of heavy-gauge steel, it uses key locks for simple locking. It features a hinged door, and unique construction that prevents cables from popping out when the box is opened, and accommodates a variety of cable diameters.

ITEM NO.	DESCRIPTION
SK-333	Cable Coat Lock Housing w/T-Bar Attachment
SK-333U	Cable Coat Lock Housing w/U-Bolt Attachment
SK-363	Cable Coat Lock w/Modified Slots & T-Bar Attachment
SK-363U	Cable Coat Lock w/Modified Slots & U-Bolt Attachment
SK-383	Extended Cable Coat Lock Housing w/T-Bar Attachment
SK-383U	Extended Cable Coat Lock Housing w/U-Bolt Attachment
SK-301	8' Standard Duty Cable w/Lasso, Black (1/16" I.D., 1/8" O.D.)
SK-301-6	6' Standard Duty Cable w/Lasso, Black (1/16" I.D., 1/8" O.D.)

ITEM NO.	DESCRIPTION
SK-302	8' Medium Duty Cable w/Lasso, Black (3/32" I.D., 1/8" O.D.)
SK-302-6	6' Medium Duty Cable w/Lasso, Black (3/32" I.D., 1/8" O.D.)
SK-303	8' Heavy-Duty Cable w/Lasso, Black (1/8" I.D., 3/16" O.D.)
SK-303-6	6' Heavy-Duty Cable w/Lasso, Black (1/8" I.D., 3/16" O.D.)
SK-334	Universal Saddle Bracket (1" W x 1" D)
SK-336	Universal Saddle Bracket (1" W x 2" D)
SK-338	Shelf Standard Bracket for Cable Coat Lock
SK-339	Universal Saddle Bracket (2" W x 1" D)

U.S. Patent No. 5,154,072




Se-Kure Controls, Inc.

On the Web: www.se-kure.com
E-Mail: info@se-kure.com

3714 Runge Street • Franklin Park, IL 60131 • 1-(800) 322-2435 • (847) 288-1111 • Fax: (847) 288-9999

SAFE-N-SEKURE RECOILER®

A Retractable Device for Efficient Merchandising & Wire Management



U.S. Patent No. 5,246,183

- Self-Retracting System Makes Neater Displays
- High Tensile Aircraft Cable with Protective Coating Extends to 4 Ft. in Length
- Available with a Wide Variety of Ends
(See Page 17 & 20 for Ends Available)

The **Safe-N-SeKure Recoiler®** keeps merchandise safe and wires from view. The Recoiler® easily attaches to any display counter or within any fixture. This unique recoiling system pulls out easily and then retracts smoothly into place. Recoiler measures: 1-1/2"W x 2"H x 3-3/8"D with a 2-1/8" x 3-3/8" Base.

ITEM NO.	DESCRIPTION
SK-4500	Safe-N-SeKure Recoiler® with 1-1/2" Round Tuit End
SK-4500T	Safe-N-SeKure Recoiler® (Top Mount) with 1-1/2" Rnd Tuit End
SK-4500G	Safe-N-SeKure Recoiler® with 1-1/2" Flexible Round Tuit End
SK-4500TG	Safe-N-SeKure Recoiler® (Top Mount) w/Flexible Rnd Tuit End
SK-4509	1-1/2" Round Adhesive
SK-4510	Base Adhesive Pad (1-1/2" x 3-1/4")

RECOILER® CADDIES

The Perfect Way to Display Remote Controls or Cellular Phones



SK45-1300
Front Mount
Recoiler Caddy

SK45-1300T
Top Mount
Recoiler Caddy

SK45-1100
Front Mount Remote Holder



SK45-1100
Remote
Holder
Requires
the
SK-4500G
Recoiler

SK-4500G



U.S. Patent No. 5,246,183

The **Safe-N-SeKure Recoiler® Caddy** incorporates the features of our flexible end Recoiler and a unique holder to display remote controls or cellular phones. Available in both front and top mount models, with included Recoiler® or as a separate holder for use with existing SK-4500G Recoilers.

ITEM NO.	DESCRIPTION
SK45-1300	Recoiler® Caddy with 1-1/2" Flexible Round End
SK45-1300T	Recoiler® Caddy (Top Mount) with 1-1/2" Flexible Round End
SK-1912G	Flexible Round End Removal Tool
SK45-1100	Remote Holder (Requires SK-4500G Recoiler w/Flex. Rnd. End)



Se-Kure Controls®, Inc.

3714 Runge Street • Franklin Park, IL 60131 • 1-(800) 322-2435 • (847) 288-1111 • Fax: (847) 288-9999

On the Web: www.se-kure.com
E-Mail: info@se-kure.com

MINI RETRACTOR®

Compact Size



The Mini Retractor® features all of the benefits and versatility of the standard Recoiler in a compact size. Measuring only 1-3/4"W x 2-3/4"L x 7/8"D, the Mini Retractor can be mounted on any of its three planes. It is available with many of the ends shown below. For Top Mount versions (add a "T" after the item number).

ITEM NO.	DESCRIPTION
SK-4428	Mini Retractor w/Small Eyelet (4' Cable)
SK-4418	Mini Retractor w/Rect. Metal Plate (4' Cable)
SK-4420*	Mini Retractor w/1-1/2" Rnd Flex End* (4' Cable)
SK-4432T	Mini Retractor w/7/8" Rnd End - Top Exit (4' Cable)
SK-4488-12	Mini Retractor w/1" Sq. Flex. Tuit & Alt. Exit (4' Cable)

TEAR DROP RETRACTOR®

**Unique Shape
Easy Mounting**



The Tear Drop® Retractor® offers mounting and usage flexibility. Its angled sides make it uniquely suited for POP displays and counter-top applications. It measures: 1-3/4"W x 2-1/2" L x 7/8"D, uses coated aircraft cable for strength, and is available with many of the ends shown below.

ITEM NO.	DESCRIPTION
SK-44TD28	Tear Drop Retractor w/Small Eyelet (4' Cable)
SK-44TD10	Tear Drop Retractor w/Collar Adj. Lasso (4' Cable)
SK-44TD24	Tear Drop Retractor w/Phone Connector (4' Cable)
SK-44TD33	Tear Drop Retractor w/Half Tuit (4' Cable)
SK-44TD38	Tear Drop Retractor w/1" Sq. L. Plate (4' Cable)

MICRO MINI RETRACTOR®

Space Saving Size



Despite its small size, the Micro Mini® Retractor® offers strong steel coated aircraft cable in a square container measuring only 1-9/16"W x 1-9/16"L x 9/16"D. It will provide security and merchandising placement in many different applications. Use in POP displays or on open shelves or counters. Cable ends shown below.

ITEM NO.	DESCRIPTION
SK-4328	Micro Mini Retractor w/Small Eyelet (4' Cable)
SK-4315	Micro Mini Retractor w/Mini Slim-Line Tuit (4' Cable)
SK-4316	Micro Mini Retractor w/Removable Tuit (4' Cable)
SK-4335	Micro Mini Retractor w/Ant Plug (4' Cable)
SK-4388-12	Micro Mini Retractor w/1" Sq. Flex. Tuit & Alt. Exit (4' Cable)

* U.S. Patent No. 5,565,848

Available Cable Ends

See Page 21 For Adhesives

#9 Collar Adj. Lasso 5/15" dia. x 3/16"	#10 Collar Adj. Lasso 1/4" dia. x 3/16"	#11 Swivel Snap Hooks 3/4" dia. x 2-3/4"	#12 1" Sq. Flexible Tuit 1" sq. x 1/2"	#13 Heavy Duty Adj. Lasso 3/4" dia. x 1-15/16"	#14 Medium Duty Adj. Lasso 1/2" dia. x 1-1/4"
#15 Mini Slim-Line Tuit 1" dia. x 5/8"	#16 Removable Tuit 1-1/4" Dia. x 3/8"	#17 BB Metal Tuit 3/4" x 1"	#18 Metal Tuit 7/8" x 1-3/8"	#20 Flexible Round End* 1-1/2" dia.	#21 Round Plug 1-1/4" dia. x 1/2"H
#22 Button Stop 1/4" dia. x 1/4"	#23 Lasso 3/8" x 7/16" w/1" Loop	#24 Phone Connector 1/4" x 3/8" x 1/2"	#25 Mushroom End Available Attached or w/Stripped Wire 1/2" dia. x 1/2"	#27 Rectangular Plug 1" x 2" x 1/2"H	#28 Small Eyelet 3/16" ID - 11/32" OD
#29 Large Eyelet 1/4" ID - 7/16" OD	#30 Round Tuit 1-1/2" dia.	#31 Round Tuit 1-1/4" dia.	#32 Round Tuit 7/8" dia.	#33 Half Tuit End 1-1/2" dia. x 3/4"	#34 Swivel w/Strap 3/4" dia. x 1-3/8"
#35 Ant Plug 7/16" x 11/16" x 9/16"H	#36 Adjustable Lasso 1/2" x 1-1/4" x 3/8"D	#37 L Plate 1-1/2" x 2"	#38 L Plate 1" x 1" sq.	#39 Bug Plug 1" x 1" sq. x 1/2"H	#40 Round Disk Tuit 1-5/8" dia.

Some Recoilers® & Retractors® May Allow Alternate Cable Exit Points!

HEAVY-DUTY MECH. RECOILERS®

Large Dia. Aircraft Cable

SK-4544

SK-4623
"D" Recoiler

Increased cable dia. in the Heavy-Duty Mechanical Recoilers means increased security. SK-4544 measures: 2-1/8"W x 3-7/16"L x 3-7/16"H; SK-4623 measures: 1-3/16"W x 2-3/4"L x 2-3/4"H. Using 3" long (1/8" O.D.) aircraft cable, both come in a variety of cable ends (shown above).

ITEM NO.	DESCRIPTION
SK-4544	Heavy-Duty Mech. Recoiler w/Lasso
SK-4623	Heavy-Duty "D" Recoiler w/Lasso

SLIM-LINE® RECOILER®

SK-4232A

New Slimmer Design



The Slim-Line Recoiler®

Has 3 Available Cable Exits

Measures:
1"W x 2"H x 3-3/8"L

We've taken our Safe-N-SeKure Recoiler® and produced it in a new, slimmer design. It utilizes a high tensile aircraft cable with protective coating that extends to a four foot length. Has over two-dozen cable ends (shown above) from which to select. Keeps merchandise safe and wires from view.

ITEM NO.	DESCRIPTION
SK-4228A	Slim-Line Recoiler w/Small Eyelet-Alternative Exit (4' Cable)
SK-4214T	Slim-Line Recoiler w/Med. Duty Adj. Lasso - Top Exit (4' Cable)
SK-4223	Slim-Line Recoiler w/Lasso (4' Cable)
SK-4227	Slim-Line Recoiler w/Rectangular Plug (4' Cable)
SK-4230	Slim-Line Recoiler w/1-1/2" Round Tuit (4' Cable)

All of the Devices on this Page are Available in Black, Blue, White, or Clear Plastic Housings



Se-Kure Controls, Inc.

On the Web: www.se-kure.com
E-Mail: info@se-kure.com

3714 Runge Street • Franklin Park, IL 60131 • 1-(800) 322-2435 • (847) 288-1111 • Fax: (847) 288-9999

COILED SECURITY SYSTEM

**Mechanical Protection &
Merchandising Control for Small Items**



Choice of Black, Beige, Grey,
White or Clear Coils.

The **Coiled Security System** provides economical protection for small items. Simply attach one end of the coiled or straight cable to the merchandise and the other end to the shelf or fixture. Remote controls may be attached to the device they control. The special 3M adhesive adheres firmly and leaves no residue.

Adhesives Included With Cables

ITEM NO.	DESCRIPTION	
SK-1901	5' (Straight) Cable with (2) Rectangular Plugs	
SK-1905	5' (Coiled) Cable with (2) Rectangular Plugs	
SK-1908	8' (Coiled) Cable with (2) Rectangular Plugs	
SK-1908-6	8' (Coiled) Cable plus 6' (Straight) with (2) Rectangular Plugs	
SK-8-40-8	40" (Coiled) Cable with (2) Small Eyelets	
SK-8-40-27	40" (Coiled) Cable w/Small Eyelet & Rectangular Plug	
SK-1909	1" x 2" Rectangular Adhesive Pads	
SK-1912	Standard Rectangular Removal Tool	
SK-1942	Rectangular (Fuzz/Hooks) Velcro Sets	

- 1/8" High Tensile Aircraft Cable with Protective Coating
- Easy To Install—No Tools Needed
- Will Not Damage Protected Items
- Flexible Ends Will Conform to Curved Surfaces
- Available in Black, Gray, White or Beige



ITEM NO.	DESCRIPTION	
SK-1901G	5' (Straight) Cable with (2) 1-1/2" Flexible Rnd Plugs	
SK-1905G	5' (Coiled) Cable with (2) 1-1/2" Flexible Rnd Plugs	
SK-1908G	8' (Coiled) Cable with (2) 1-1/2" Flexible Rnd Plugs	
SK-1908-6G	8' (Coiled) Cable plus 6' (Straight) with (2) 1-1/2" Flexible Rnd Plugs	
SK-4509	1-1/2" Dia. Round Adhesive Pads	
SK-1912G	Removal Tool for Flexible Round Ends	
SK-1742	Round (Fuzz/Hooks) Velcro Sets	






CABLE SECURITY SYSTEM

Versatile Mechanical Protection




Cup Security System

Operate by attaching the security cup to pegboard or slatwall. Attach cables to the merchandise to be protected and the other end of the cable connection into one of the slots in the security cup. Using the special Allen Wrench, the security cup is locked to the wall.



Phone Plug Security System

Add the ease and flexibility of the phone plug to your cabling needs. The phone jack screws into the slatwall with a special security screw and cables plug right in.



1+1 Security System

This compact system easily attaches to slotted walls. Once the flat bar end of the 1+1 is inserted into the slatwall and turned clockwise, the bar turns to an angle which securely anchors the cables. Simply tighten with the special Allen Wrench to secure.

ITEM NO.	DESCRIPTION	
SKP-400	Security Cup w/3 Slots	
SKP-400SM	Surface Mount Security Cup	
SKP-200K	Security Wrench	

ITEM NO.	DESCRIPTION	
SKT-300	Telephone Slatwall Security	
SKT-300SM	Surface Mount Tel. Security	
SKP-416K	Security Wrench	

ITEM NO.	DESCRIPTION	
SKP-415	1+1 Slatwall Anchor	
SKP-414	Replacement Metal Wedge	
SKP-416K	Security Wrench	

Accessories

	ITEM NO.	ITEM NO.	ITEM NO.	DESCRIPTION
	SKP-301	SKT-301	SKP-401	5' (Coiled) Cable w/Tele. Connector
	SKP-302	SKT-302	SKP-402	5' (Coiled) Cable w/Round Plug
	SKP-902	SKT-902	SKP-942	5' (Coiled) Cable w/Rect. Plug
	SKP-1729	SKT-1729	SKP-488	8' (Coiled) Cable w/Lasso
	SKP-1934	SKT-1955	SKP-1955	5' (Coiled) Cable w/Swivel
	---	---	SKP-1908-6	8' (Coiled) + 6' (Str.) Cable w/Rect. Plug

ITEM NO.	DESCRIPTION	
SK-1709	Round Replacement Adhesive	
SK-1909	Rect. Replacement Adhesive	
SKP-200T	Phone Plug (Wire) Removal Tool	
SK-1712	Round Plug/Wire Removal Tool	
SK-1912	Rectangular Plug Removal Tool	
SK-4525	Locking Strap	

Note: Additional Cable Ends Are Available, (see page 20 for details).



Se-Kure Controls,® Inc.


3714 Runge Street • Franklin Park, IL 60131 • 1-(800) 322-2435 • (847) 288-1111 • Fax: (847) 288-9999

On the Web: www.se-kure.com
E-Mail: info@se-kure.com

DESIGN-A-CABLE™

(See Page 21 for Adhesives)

"Create Your Own Cable" An Exclusive from Se-Kure Controls

START OF CABLE			TYPE		COLOR		LENGTH		END OF CABLE		
END	NO.	DESCRIPTION	NO.	DESCRIPTION	NO.	DESCRIPTION	NO.	DESCRIPTION	NO.	DESCRIPTION	END
	9	Collar Adj. Lasso	41	Str. 1/8" OD - 1/16" ID	61	Clear	81	6 Inch	9	Collar Adj. Lasso	
	10	Collar Adj. Lasso	42	**Str. 3/16" OD - 1/8" ID	62	White	82	12 Inch	10	Collar Adj. Lasso	
	11	Swivel Snap Hooks	43	Coiled 1/8" OD - 1/16" ID	63	Black	83	18 Inch	11	Swivel Snap Hooks	
	12	1" Sq. Flexible Tuit	44	Str. 1/16" OD - 3/64" ID	64	Gray	84	24 Inch	12	1" Sq. Flexible Tuit	
	13	Hvy. Duty Adj. Lasso	46	**Str. 1/8" OD - 3/32" ID	65	Brown	85	30 Inch	13	Hvy. Duty Adj. Lasso	
	14	Med. Duty Adj. Lasso	47	†Str. 5/16" OD - 3/16" ID	66	Cream	86	36 Inch	14	Med. Duty Adj. Lasso	
	15	Mini Slim-Line Tuit	48	††Str. 1/22" OD - 1/32" ID	67	Green	87	5 Foot	15	Mini Slim-Line Tuit	
	16	Removable Tuit	49	Str. 3/32" OD - 1/16" ID	68	Yellow	88	8 Foot	16	Removable Tuit	
	17	BB Metal Tuit			69	Red	89	10 Foot	17	BB Metal Tuit	
	18	Metal Tuit			70	Blue	90	4 Foot	18	Metal Tuit	
	20	Round Flexible End					91	6 Foot	20	Round Flexible End	
	21	Round Plug							21	Round Plug	
	22	Button Stop							22	Button Stop	
	23	Lasso							23	Lasso	
	24	Phone Connector							24	Phone Connector	
	25	Mushroom							25	Mushroom	
	26	Stripped Wire w/Mushroom							26	Stripped Wire w/Mushroom	
	27	Rectangular Plug							27	Rectangular Plug	
	28	Small Eyelet							28	Small Eyelet	
	29	Large Eyelet							29	Large Eyelet	
	30	1-1/2" Round Tuit							30	1-1/2" Round Tuit	
	31	1-1/4" Round Tuit							31	1-1/4" Round Tuit	
	32	7/8" Round Tuit							32	7/8" Round Tuit	
	33	1/2 Tuit (1-1/2" x 3/4")							33	1/2 Tuit (1-1/2" x 3/4")	
	34	Swivel w/Strap							34	Swivel w/Strap	
	35	Ant Plug (7/16" x 11/16")							35	Ant Plug (7/16" x 11/16")	
	36	Adjustable Lasso							36	Adjustable Lasso	
	37	L Plate (1-1/2" x 2")							37	L Plate (1-1/2" x 2")	
	38	L Plate (1" x 1")							38	L Plate (1" x 1")	
	39	Bug Plug (1" x 1")							39	Bug Plug (1" x 1")	
	40	1-5/8" Rnd. Disk Tuit							40	1-5/8" Rnd. Disk Tuit	

Se-Kure Controls Makes It Easy...

Customized security cable that you design. It's easy to accurately and precisely order just the right size, type, color and attachment you desire. Design the cable that specifically meets your merchandise needs.

Here's How it Works...

Simply follow the chart above and specify the Quantity, Start of Cable Number, Type Number, Color Number, Length Number and End of Cable Number. Follow the **Example:** at the right in the easy-to-read chart. If you need help, contact our Customer Service Professionals.

Qty.	SK-						
Qty.	SK-						
Qty.	SK-						

** Cable Types #42 & #46 only work with end #: 13, 23, 29, 34, 37, 38 & 40.
† Cable Type #47 only works with end #13.
†† Cable Type #48 works with all ends except end #: 13, 14 & 36

← ORDER THIS #
← ORDER THIS #
← ORDER THIS #

Example: 1 SK- 21 43 63 87 21
(1) 5 Ft. Black Coil with 2 Round Plugs

Adhesives →
(See Page 21)

Required Security Allen Wrenches: End #10 Use Wrench SKP-100K, Ends #13 & 14 Use Wrench SKP-200K, End #36 Use Wrench SKP-416K (Sold Separately)



Se-Kure Controls, Inc.

On the Web: www.se-kure.com
E-Mail: info@se-kure.com

3714 Runge Street • Franklin Park, IL 60131 • 1-(800) 322-2435 • (847) 288-1111 • Fax: (847) 288-9999

MECHANICAL SECURITY SYSTEMS

Mechanical Cables & Plates Designed to Protect Nearly Everything



ITEM NO.	DESCRIPTION
SK-162	6' Cable (1/16" I.D. - 1/8" O.D.) with Small & Large Stop
SK-163	6' Cable (3/32" I.D. - 1/8" O.D.) with Small & Large Stop
SK-189	6 Slot Safe-N-SeKure Lock Box (1-3/4" x 4-5/8" x 3/4"D)
SK-185	"L" Plate (1-1/2" x 2")
SK-190	Mounting Plate with "Ears" (3" x 3")
SK-192	Standard Mounting Plate (3" x 3")
SK-193	Mounting Plate with Tube (3" x 3")
SK-194	Mounting Plate with Tube (5" x 5")
SK-196	Mounting Plate with Tube (2-1/2" x 5")


ITEM NO.	DESCRIPTION
SK-168	6' Cable (1/8" I.D. - 3/16" O.D.) with Small & Large Stop
SK-169	6' Cable (3/16" I.D. - 5/16" O.D.) with Small & Large Stop
SK-198	2 Slot Lock Box (1-7/8" x 3" x 15/16"D) uses SKP-200K Wrench
SK-191-2	Adhesive (1-1/2" x 2") for SK-185 "L" Plate
SK-191	Adhesive (3" x 3") for SK-190, SK-192 & SK-193 Plates
SK-197	Adhesive (2-1/2" x 5") for SK-196 Mounting Plate
SK-199	Adhesive (5" x 5") for SK-194 Mounting Plate
SK-110	Extra Key for SK-189 Lock Box
SKP-200K	Security Wrench for SK-198 Lock Box

MECH. CABLE ADHESIVES

ITEM NO.	DESCRIPTION	FITS END #
SK-1709-1	Round (1-1/4" Dia.)	#16 (Removable Tuit)
SK-1709	Round (1-1/4" Dia.)	#16 (Removable Tuit) #21 (Round Plug) #31 (1-1/4" Round Tuit)
SK-4519-3	Rectangular (1" x 3/4")	#17 (BB Metal Tuit)
SK-918	Rectangular (1-3/8" x 7/8")	#18 (Metal Tuit)
SK-905G	Round (1-3/4" Dia.)	#19 (Side Pull MG)
SK-4509	Round (1-1/2" Dia.)	#20 (Round Flexible End) #30 (1-1/2" Round Tuit) #40 (1-5/8" Round Tuit)
SK-1909	Rectangular (1" x 2")	#27 (Rectangular Plug)
SK-1707	Round (7/8" Dia.)	#32 (7/8" Round Tuit)
SK-4519	Rectangular (1-1/2" x 3/4")	#33 (Half Tuit)
SK-909	Rectangular (7/16" x 11/16")	#35 (Ant Plug)
SK-191-2	Rectangular (1-1/2" x 2")	#37 (1-1/2" x 2" L Plate)
SK-1909-3	Square (1" x 1")	#38 (1" x 1" L Plate) #39 (Bug Plug)

ADJUSTABLE LASSOS

Available in Heavy-Duty, Medium Duty, Standard Duty & Light-Duty Collar Adjustable Lassos



Our Adjustable Lasso Ends allow you to select mechanical cables of different diameters to snugly fit around displayed items. You can utilize them in our Design-A-Cable program, shown on page 20 to custom design a product for your needs. End #36 will work with 1/8" OD (#41 wire); End #14 will work with 1/8" OD (#41 or #46 wire); & End #13 will work with 3/16" OD (#42 wire) or 5/16" OD (#47 wire). An example is shown above with the item number & description listed below.

ITEM NO.	DESCRIPTION
SK-1342639123	Heavy-Duty Adjustable Lasso End with 6' Black 3/16" O.D. Cable & Fixed Lasso End

Additional Adj. Lasso Cables Available, call for details (Adj. Lassos also require Security Wrenches).



Se-Kure Controls, Inc.

3714 Runge Street • Franklin Park, IL 60131 • 1-(800) 322-2435 • (847) 288-1111 • Fax: (847) 288-9999

On the Web: www.se-kure.com
E-Mail: info@se-kure.com


NOTEBOOK SECURITY DEVICES

Adjustable Notebook & Portable DVD Player Lock-Down System



ITEM NO.	DESCRIPTION
PTR-700RL-11	Adjustable Notebook/Portable DVD Player Lock-Down Device Fits Players from 8" to 11" Wide (Bracket & Bar)
PTR-700RL-15	Adjustable Notebook/Portable DVD Player Lock-Down Device Fits Players from 11" to 15" Wide (Bracket & Bar)
PTR-700RL-19	Adjustable Notebook/Portable DVD Player Lock-Down Device Fits Players from 11" to 19" Wide (Bracket & Bar)

Double Bar & Lock Systems




ITEM NO.	DESCRIPTION
SK-99-730	Notebook Lock-Down Device (For Notebooks up to 14" Wide)
SK-99-730-18	Notebook Lock-Down Device (For Notebooks up to 18" Wide)
OD-99-730	Notebook Lock-Down Device (For Notebooks up to 14" Wide)
OD-99-730-18	Notebook Lock-Down Device (For Notebooks up to 18" Wide)

ITEM NO.	DESCRIPTION
PTR-600	Adjustable Notebook Holder (9-1/2" - 13-1/2" wide)
PTR-600-16	Adjustable Notebook Holder (12-1/2" - 16-1/2" wide)
PTR-600-19	Adjustable Notebook Holder (15-1/2" - 19-1/2" wide)
PTR-113	Replacement Lock Assembly (for the PTR-600)

Notebook & Portable DVD Player Lock-Down System


The **PTR-700 Series of Adjustable Notebook & Portable DVD Player** lock-down devices is designed to accept notebooks and players of varying sizes. Select the size that fits your needs.

Brackets are available to fit Notebooks up to: 11", 15" & 19" Widths.



ITEM NO.	DESCRIPTION
PTR-700-11	Adjustable Portable DVD Player Lock-Down Device Fits Players from 8" to 11" Wide (Bracket, Bars & Lock)
PTR-700-15	Adjustable Portable DVD Player Lock-Down Device Fits Players from 11" to 15" Wide (Bracket, Bars & Lock)
PTR-700-19	Adjustable Portable DVD Player Lock-Down Device Fits Players from 11" to 19" Wide (Bracket, Bars & Lock)
SK-1813	Replacement Lock for PTR-700 Series

"Spider" Bracket Mounts Underneath



ITEM NO.	DESCRIPTION
OD-99-750	Notebook Security "Spider" Bracket & 2' Cable*
SK-189BD	Cable & Plate Notebook Security Kit

*Lock Box & Security Wrench must be ordered separately, (see page 21).

Cable & Plate Security System



All Notebook Security Devices Can Be Used With An Alarm Sensor



Se-Kure Controls, Inc.

3714 Runge Street • Franklin Park, IL 60131 • 1-(800) 322-2435 • (847) 288-1111 • Fax: (847) 288-9999

On the Web: www.se-kure.com
E-Mail: info@se-kure.com

SECURITY STANDS

■ Variety of Heights & Colors

■ Heavy Gauge Steel

■ Round or Square



SK-1800



SK-1801



SK-1809PB



SK-1809SW



SK-1810



SK-1812



SK-1817



SK-1818



SK-1822



SK-1830



SK-1831



SK-1836



SK-1856



SK-1867



SK-1867H



U.S. Patent No.
5,421,667

SK-1890



SK-1891



SK-1893



SK-798-4



SK-799

ITEM NO.	DESCRIPTION
SK-1800	Shelf Mount Keyed Lockdown Stand - 12"H x 6"L
SK-1801	Wall Mount Keyed Lockdown Stand - 10-1/2"L
SK-1809PB	Arm for Pegboard with Alarm Connection - 10-1/2"L
SK-1809SW	Arm for Slatwall with Alarm Connection - 10-1/2"L
SK-1810	Slatwall Mount Keyed Lockdown Stand - 10-1/2"L
SK-1812	Horz. Shelf Mount Keyed Lockdown Stand- 3"H x 12"L
SK-1817	Shelf Mount Arm- 6"H x 9"L (No Lock)
SK-1818	Shelf Mount Pan-N-Tilt Keyed Lockdown Stand- 18"H
SK-1822	Shelf Mount Round 1" dia. Camera Stand - 6"H (uses 1" Pin)
SK-1828	Three-Tier Stand - 13-1/4"H (uses 1" dia. Pin)
SK-1830	Shelf Mount Pan-N-Tilt Keyed Lockdown Stand- 12"H

ITEM NO.	DESCRIPTION
SK-1831	Shelf Mount Heavy Duty 1.5" dia. Round Camera Stand- 6"H (uses 1" Pin)
SK-1836	Shelf Mount Pan-N-Tilt Keyed Lockdown Stand- 6"H
SK-1856	6"H Round Stainless Steel 1" dia. Camera Stand (uses 1" Pin)
SK-1867	Vantage II Mechanical Stand (No Alarm) w/Angled Sensor
SK-1867H	Vantage II Mechanical Stand (No Alarm) w/Horizontal Sensor
SK-1891	6"H Non-Locking Stand - (uses 3/8" dia. Pin)
SK-1893	3"H Non-Locking Stand - (uses 3/8" dia. Pin)
SK-1843	3/8" dia. Non-Locking Pin
SK-1890	Kozy Mount
SK-798-4	4"H Stand w/1-1/2" x 2-1/4" Angled Top (Used with Nest)
SK-799	4"H Stand w/3" Round & Angled Top

Other Stands & Colors Available – Call For Details



Se-Kure Controls, Inc.

3714 Runge Street • Franklin Park, IL 60131 • 1-(800) 322-2435 • (847) 288-1111 • Fax: (847) 288-9999

On the Web: www.se-kure.com
E-Mail: info@se-kure.com

EAS PEDESTAL COVERS by Se-Kure Controls,® Inc.

Put Your EAS Pedestals To Work Promoting Your Merchandise & Marketing Your Brand!



NEW

Custom Designed To Fit Any EAS Pedestal



Special bracket velcros onto curved top EAS Towers allowing covers to hang properly.

Pedestal Covers offer a cost effective means of adding a marketing tool at every entrance to your stores.

Made of durable vinyl, they are custom manufactured to fit any pedestal and can be printed to highlight specific brands or seasonal promotions. They do not interfere with the performance of your EAS systems and are easily cleaned or changed.

Ask Your Regional Sales Manager or Se-Kure Customer Service Representative for quantity pricing & additional information.

- **High Resolution Custom Graphics**
- **Printed Full Color on Durable Vinyl**
- **Will Not Effect EAS Pedestal Performance**




Se-Kure Controls,® Inc.

3714 Runge Street • Franklin Park, IL 60131 • 1-(800) 322-2435 • (847) 288-1111 • Fax: (847) 288-9999

On the Web: www.se-kure.com
E-Mail: info@se-kure.com

NEW LADDER ALERT



Ladder Alert
Alarm Module with Bracket



Ladder Alert
Mat



- Mat is Constructed Of Rugged Composite Materials For Long Tread Life
- Power Indicator Light Confirms Power Is Flowing To The Mat
- Low Battery Alert Sounds When Batteries Are At 10% Remaining Life
- Alarm Module / Power Supply Is Built Of All Steel Exterior Construction
- Durable Armored Cable Attaches The Mat To The Alarm Module

ITEM NO.	DESCRIPTION
SK-600A	Ladder Alert Kit - (1) Mat, (1) Alarm Module w/Bracket & Hardware

SIMULATED CAMERA

Designed Like the Real Thing!



Real
Coaxial
Cables
Provide
The Look
You
Want!



The Simulated Camera goes one step beyond ordinary simulated cameras. Its sleek, sophisticated styling gives the Simulated Camera a more realistic look compared to other simulated cameras. The new camera design utilizes *Real Coaxial Cables* for a more professional appearance. A realistic lens will keep would-be shoplifters wondering! Includes mounting hardware for easy installation.

ITEM NO.	DESCRIPTION
SK-935	Simulated Camera with Stand
SK-936	Simulated Camera with Stand

FLASHING MIRROR

Safety Demands Attention!



ITEM NO.	DESCRIPTION
SK-26SB-FL	26" Dia. Indoor Flashing Convex Mirror w/Safety Border



Se-Kure Controls,® Inc.

On the Web: www.se-kure.com
E-Mail: info@se-kure.com

3714 Runge Street • Franklin Park, IL 60131 • 1-(800) 322-2435 • (847) 288-1111 • Fax: (847) 288-9999



SAFETY & SECURITY MIRRORS

Shatter Resistant Mirrors Eliminate Blind Spots



- Wide Angle Increases Visibility
- Made of High Impact Acrylic
- Fade Resistant
- 20% Brighter Than Glass Mirrors
- Mounting Hardware Included



Convex detection mirrors are a retailer's first line of defense against shoplifting and pilferage. They increase aisle visibility, eliminate blind spots and are excellent as safety mirrors in preventing intersection accidents. Additional weatherproofing available for outdoor mirrors. Includes mounting hardware.

ITEM NO.	DESCRIPTION
SK-12P	12" Diameter Round Se-Kure-View Mirror with Bracket
SK-18P	18" Diameter Round Se-Kure-View Mirror with Bracket
SK-26P	26" Diameter Round Se-Kure-View Mirror with Bracket
SK-30P	30" Diameter Round Se-Kure-View Mirror with Bracket
SK-36P	36" Diameter Round Se-Kure-View Mirror with Bracket
SK-48P	48" Diameter Round Se-Kure-View Mirror with Bracket
SK-60P	60" Diameter Round Se-Kure-View Mirror (Special Order)

ITEM NO.	DESCRIPTION
SK-12-18P	12" x 18" Roundtangular Mirror with Mounting Bracket
SK-18-26P	18" x 26" Roundtangular Mirror with Mounting Bracket
SK-20-30P	20" x 30" Roundtangular Mirror with Mounting Bracket
SK-24-36P	24" x 36" Roundtangular Mirror with Mounting Bracket
SK-24-36P	24" x 36" Roundtangular Mirror with Mounting Bracket
For Outdoor Weatherproofing (Add the letters OD as a suffix to the Item Number)	

SUPER SEE™ PANELS & DOMES

Available in Mirrored & Bronze Smoked See-Thru

- Used for Grid Ceilings
- High Quality Acrylic
- Lightweight

SK-24-48MSS Mirrored Non See-Thru



SK-2424SS Bronze See-Thru



SK-360-22SS
Bronze See-Thru Dome w/Ceiling Tile

Our See-Thru Panels and Domes are designed for CCTV camera usage or visual viewing. A variety of sizes and shapes are available. Different colors and custom cuts/shapes may be special-ordered to fit the décor of most retail stores.

ITEM NO.	DESCRIPTION
SK-24-24M	24" x 24" Mirrored NON See-Thru Ceiling Tile
SK-24-48M	24" x 48" Mirrored NON See-Thru Ceiling Tile
SK-360-22SS	22" Bronze See-Thru Dome w/2' x 2' Bronze Ceiling Tile

ITEM NO.	DESCRIPTION
SK-2424MS	24" x 24" Mirrored See-Thru Ceiling Tile
SK-2448MS	24" x 48" Mirrored See-Thru Ceiling Tile
SK-2424SS	24" x 24" Bronze Smoked See-Thru Ceiling Tile
SK-2448SS	24" x 48" Bronze Smoked See-Thru Ceiling Tile

We Manufacture What We Sell!




Se-Kure Controls®, Inc.

3714 Runge Street • Franklin Park, IL 60131 • 1-(800) 322-2435 • (847) 288-1111 • Fax: (847) 288-9999

On the Web: www.se-kure.com
E-Mail: info@se-kure.com

OMNI-VIEW MIRRORED DOMES



How to Position
360° Full Domes



Office-Eye™

Omni-View Mirrored Domes are an excellent tool providing a full reflective hemisphere for use when large area surveillance is the problem. It gives a full 200° viewing area from any one location. Available as a dome only with hanging chains, or unitized with a 2' x 2' panel in select sizes. Office-Eye™ mounts with screws, double adhesive, or velcro.

- Shatter Resistant
- 360° Surveillance Viewing
- Some Models Available with 2' x 2' Panels
- Variety of Sizes



ITEM NO.	SIZE	DESCRIPTION
SK-360-18	18" (Dome Only)	Omni-View Mirrored Dome
SK-360-22	22" (Dome Only)	Omni-View Mirrored Dome
SK-360-26	26" (Dome Only)	Omni-View Mirrored Dome
SK-360-32	32" (Dome Only)	Omni-View Mirrored Dome
SK-360-36	36" (Dome Only)	Omni-View Mirrored Dome
SK-360-48	48" (Dome Only)	Omni-View Mirrored Dome
SK-360-60	60" (Dome Only)	Omni-View Mirrored Dome


ITEM NO.	DESCRIPTION
SK-360-18T	18" Omni-View One-Piece Mirrored Dome in 2' x 2' Panel
SK-360-22T	22" Omni-View One-Piece Mirrored Dome in 2' x 2' Panel

ITEM NO.	DESCRIPTION
SK-300-EYE	17"W x 8-1/2"H Office-Eye™ Mirror

OMNI-VIEW MIRRORED HALF & QUARTER DOMES


1/2 DOMES
Are Used For "T" Intersections

1/4 DOMES
Are Used For Corners



How to
Position
180° Half
Domes

Mirrored Half Domes and Mirrored Quarter Domes are made with the same attention to quality as our Mirrored Domes (shown above). Mounting hardware included for easy installation.



How to
Position
90° Quarter
Domes

ITEM NO.	DESCRIPTION
SK-180-18	18" Omni-View Mirrored Half Dome
SK-180-26	26" Omni-View Mirrored Half Dome
SK-180-32	32" Omni-View Mirrored Half Dome
SK-180-36	36" Omni-View Mirrored Half Dome
SK-180-48	48" Omni-View Mirrored Half Dome

ITEM NO.	DESCRIPTION
SK-90-18	18" Omni-View Mirrored Quarter Dome
SK-90-26	26" Omni-View Mirrored Quarter Dome
SK-90-32	32" Omni-View Mirrored Quarter Dome
SK-90-36	36" Omni-View Mirrored Quarter Dome
SK-90-48	48" Omni-View Mirrored Quarter Dome

We Manufacture What We Sell!



Se-Kure Controls,® Inc.

On the Web: www.se-kure.com
E-Mail: info@se-kure.com

3714 Runge Street • Franklin Park, IL 60131 • 1-(800) 322-2435 • (847) 288-1111 • Fax: (847) 288-9999

THE SMOKIE DOME™

Works with CCTV Surveillance Cameras for the Ultimate in Security



SK-88-200 - 22" One-Piece Medium Smokie Dome



SK-88-324 - 12" Medium Smokie Dome w/2'x2' Formed Panel



SK-88-309 - 9" Medium Smokie Dome w/2'x2' Formed Panel



5.5" - 22" Dust Covers



Universal Camera Mounting Bracket

- Excellent for CCTV Surveillance
- Economical
- Lightweight
- Easy to Install
- Pressure-Formed Cell Cast Acrylic
- Less Than 1 f-stop Light Loss
- Panels Available Formed or Flat
- Dust Covers & Camera Brackets

Smokie Domes provide a smartly designed theft deterrent that can be positioned and mounted with a camera or left empty. Shoplifters will never know which domes are "live." Choose from a variety of sizes and configurations. Formed panels, flat panels, 2' x 2', 2' x 4', or no panels at all, these domes fit easily into all standard drop ceilings.

Dust Covers are made from black Polystyrene and designed to fit on top of the CCTV dome. The light-weight cover helps to prevent dust from getting on the camera lenses and background light from disclosing the location of cameras.

ITEM NO.	SIZE	DESCRIPTION/ACCESSORIES
SK-88-200	22"	(1 Pc.) Med. Smokie Dome & 2' x 2' Panel & Light Shield
SK-88-335	18"	(1 Pc.) Med. Smokie Dome & 2' x 2' Panel & Light Shield
SK-88-308	8"	Med Smokie Dome w/2' x 2' Flat Panel & Light Shield
SK-88-309	9"	Med Smokie Dome w/2' x 2' Formed Panel & Light Shield
SK-88-324	12"	Med Smokie Dome w/2' x 2' Formed Panel & Light Shield
SK-88-348	12"	Med Smokie Dome w/2' x 4' Flat Panel & Light Shield
SK-88-349	9"	Med Smokie Dome w/2' x 4' Flat Panel & Light Shield
SK-88-310	---	2' x 2' Black Light Shield Only (Flat)
SK-3.5D	3.5"	Medium Smokie Dome (Dome Only)
SK-5.5D	5.5"	Medium Smokie Dome (Dome Only)
SK-8D	8"	Medium Smokie Dome (Dome Only)
SK-9D	9"	Medium Smokie Dome (Dome Only)
SK-10D	10"	Medium Smokie Dome (Dome Only)
SK-12D	12"	Medium Smokie Dome (Dome Only)
SK-14D	14"	Medium Smokie Dome (Dome Only)
SK-16D	16"	Medium Smokie Dome (Dome Only)
SK-18D	18"	Medium Smokie Dome (Dome Only)
SK-22D	22"	Medium Smokie Dome (Dome Only)
SK-5.5DC	5.5"	Dust Cover (Opaque Black)
SK-8DC	8"	Dust Cover (Opaque Black)
SK-10DC	10"	Dust Cover (Opaque Black)
SK-12DC	12"	Dust Cover (Opaque Black)
SK-14DC	14"	Dust Cover (Opaque Black)
SK-16DC	16"	Dust Cover (Opaque Black)
SK-18DC	18"	Dust Cover (Opaque Black)
SK-22DC	22"	Dust Cover (Opaque Black)
SK-88-326	2' x 2'	White PVC Panel (flat) for Grid Ceilings w/12" Hole
SK-88-327	2' x 2'	White PVC Panel (flat) for Grid Ceilings w/9" Hole
SK-88-358	2' x 4'	White PVC Panel (flat) for Grid Ceilings w/12" Hole
SK-88-359	2' x 4'	White PVC Panel (flat) for Grid Ceilings w/9" Hole
SK-88-825	---	Universal Camera Mounting Bracket
SK-88-825P	---	Universal Camera Mounting Bracket with Plate

We Manufacture What We Sell!



Se-Kure Controls®, Inc.

3714 Runge Street • Franklin Park, IL 60131 • 1-(800) 322-2435 • (847) 288-1111 • Fax: (847) 288-9999

On the Web: www.se-kure.com
E-Mail: info@se-kure.com

THE SMOKIE GLOBE™

360° Surveillance Virtually Anywhere

- Use for Open Ceilings
- Cost Effective
- Easy Installation
- Distortion Free Viewing
- Less Than 1 f-stop Light Loss
- Camera Bracket Included
- Pressure-Formed Cell Cast Acrylic
- White or Black Tops Available

Smokie Globes™ provide the same theft deterrence as domes, but in an open ceiling environment. Safety wire runs up the conduit to secure the globe to the ceiling, providing added protection. Includes hardware for fast, easy installation.

Mini Globes™ provide the same deterrence as our regular globes at a much smaller size and fit just about anywhere. **(Conduit & Conduit Connectors Not Included).**

SK-88-410WB

SK-88-720W

SK-88-414

4.5"

Mini Globe Camera

ITEM NO.	DESCRIPTION
SK-88-410	10" Smokie Globe with Camera Bracket (Black over Black)
SK-88-414	14" Smokie Globe with Camera Bracket (Black over Black)
(To Order White over Black, Add WB Suffix To The Item Number)	
SK-88-710C	4.5" Mini Globe with Camera & Bracket for Ceiling Mount
SK-88-710W	4.5" Mini Globe with Camera & Bracket for Wall Mount
SK-88-720C	4.5" Mini Globe with Bracket for Ceiling Mount
SK-88-720W	4.5" Mini Globe with Camera Bracket for Wall Mount
(Conduit & Conduit Connectors Not Included)	

DUMMY GLOBE

Virtually Indistinguishable from the Real Thing



SK-88-408D-1

Dummy Globes provide cost effective theft deterrence in exposed ceiling areas.

ITEM NO.	DESCRIPTION
SK-88-408D	8" Dummy Globe (White over Black)
SK-88-412D	12" Dummy Globe (White over Black)
SK-88-408D-1	8" Dummy Globe (White over Black) w/Wall Bracket

NEW

VIDEO DOME

A Small Dome That Makes A Huge Impact

Mounts To:

- Ceiling
- Wall
- Conduit



The Se-Kure Video Dome offers you theft deterrence at an economical price. These domes can be used either with or without a camera. They are large enough to be easily seen by potential thieves to offer deterrence, but small enough to be unobtrusive to your honest customers. The dome is 4" in diameter and the base is 6" in diameter. The dome and base measure 5" in height.

ITEM NO.	DESCRIPTION
SK-88-436D	Se-Kure Video Dome – Simulated, White Base
SK-88-436	Se-Kure Video Dome – White Base
SK-88-436D-B	Se-Kure Video Dome – Simulated, Black Base
SK-88-436-B	Se-Kure Video Dome – Black Base



We Manufacture What We Sell!

Se-Kure Controls®, Inc.

On the Web: www.se-kure.com
E-Mail: info@se-kure.com

3714 Runge Street • Franklin Park, IL 60131 • 1-(800) 322-2435 • (847) 288-1111 • Fax: (847) 288-9999

WIRELESS ANNUNCIATOR

Audible Notification of Customer Entry



SK-22-310
Wireless Receiver



SK-22-315
Wireless Transmitter



(optional)
Traffic Counter

This unique system is ideal for use in retail stores, effectively providing convenience, peace of mind and improving customer service. As many as (3) transmitters can be used with one receiver. The receiver may be mounted up to 100' from the transmitters. When the transmitter detects a customer, it sends a signal to the receiver, which emits a tone. The optional counter enables you to monitor traffic flow and gauge the effect of advertising, promotions, displays, etc.

Versatile, battery operated motion detectors are always functioning, ready to transmit a wireless signal to the receiver upon detection of motion.

- Easy to Install
- Traffic Counter Available

The Wireless Sensor/Annunciator System gives users time to prepare for guests and customers, as well as for unwelcomed visitors.

ITEM NO.	DESCRIPTION
SK-22-310	Wireless Receiver
SK-22-315	Wireless Transmitter (indoor/outdoor)
SK-22-320	Traffic Counter Kit – Includes: (1) Receiver, (1) Transmitter & (1) Electronic Traffic Counter

ELECTRONIC EYE


Built-In Traffic Counter



This system protects an area or announces the presence of customers up to 25 feet away. The attractive, one-piece electronic eye is powered by a remote 12 volt transformer. Kit includes transformer, 70 feet of wire, instructions, a built-in counter and a one year warranty.

ITEM NO.	DESCRIPTION
SK-EE12	Complete Electronic Eye System with Traffic Counter

FITTING ROOM ANNUNCIATOR



- Easy Installation
- Covers Up To 8 Fitting Rooms
- Improves Service & Reduces Losses
- Deters Shoplifting



SK-22-616
Fitting Room Receiver



SK-22-618
Transmitter

ITEM NO.	DESCRIPTION
SK-22-616	Receiver for Fitting Room Annunciator
SK-22-618	Transmitter for Fitting Room Annunciator
SK-195	AC/DC Power Supply for Fitting Room Annunciator



CASH DROP BOXES

- Heavy-Duty Steel Construction
- Hinged Access Doors
- Variety of Sizes ■ Key Locks



SK-700SM



SK-700R



SK-700FS

Keep excess currency out of the cash register and safely behind lock and key. Cash Drop Boxes come with convenient mounting holes for easy wall, floor or under counter installation. Available with dual locks, keyed differently, for maximum security.

ITEM NO.	DESCRIPTION
SK-700R	Cash Drop Box (8-1/4"W x 6-7/16"H x 8-5/8"D) with (2) Interior Lock Boxes (3-1/8"W x 6"H x 8-7/16"D)
SK-700FS	Double Lock Cash Drop Box (6-1/2"W x 7"H x 10"D)
SK-701FS	Single Lock Cash Drop Box (6-1/2"W x 7"H x 10"D)
SK-700SM	Single Lock Cash Drop Box w/Pusher Bar (6-1/2"W x 7"H x 10"D)
SK-705	Single Lock Cash Drop Box w/Top Slot (6-1/8"W x 10-1/8"H x 4"D)



SK-705

MINI ANNUNCIATOR

- Easy To Install
- Compact & Portable
- 60° Wide Detecting Area
- Includes Mounting Hardware
- Uses (1) 9V Battery (Not Included)
- Rotates 360° To Allow 255° Of Viewable Angle
- Audible Alarm (Siren Or Chime)
- Fixed Installation To The Wall (Vert. Or Horiz.)



ITEM NO.	DESCRIPTION
SK-22-400	Mini Alarm/Annunciator

ELEC. KEYPAD DOOR LOCKS

- Multi-Level User Capacity
- Available with Changeable Cores



Available In
Four Finishes

Trilogy Series locksets are used by many well known retailers. These locksets allow up to 100 individual codes, allowing master, manager, emergency and service codes. They include both audible and visual entry indicators. A variety of models are available, some allowing an audit trail of activity to be printed, event scheduling for weekends, or even a real time clock.

ITEM NO.	DESCRIPTION
SK-DL270026D	Trilogy Electronic Lock (Satin Chrome)
SK-DL27001C26D	Trilogy Electronic Lock (Interchangeable Core)

EXIT DOOR ALARMS

- Deadbolt & Deadlatch
- 2-Minute or Constant Alarm
- 95db Dual Tone Piezo Alarm
- 9V Battery w/Low Bat. Warning
- Non-Handed Surface Installations on Single or Double Doors
- Meets or Exceeds UL, CFM, ADA, NYC Housing Requirements



SK-AL250X28



SK-AL700X28

SK-ALPG21



ITEM NO.	DESCRIPTION
SK-AL250X28	Clapper Plate Style Exit Door Alarm (Aluminum Finish Only)
SK-AL700X28	Full Door Exit Alarm (Avail. in Red, Duralon or Aluminum Finishes)
SK-ALPG21MS	Sirenlock™ Exit Door Alarm (Available in Metallic Silver Only)



Se-Kure Controls,® Inc.

On the Web: www.se-kure.com
E-Mail: info@se-kure.com

3714 Runge Street • Franklin Park, IL 60131 • 1-(800) 322-2435 • (847) 288-1111 • Fax: (847) 288-9999